# SAFETY DATA SHEET

Issue Date 10-Jun-2015

Revision Date 11-Feb-2025

Version 1

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier Product Name	Neutra Soft
Other means of identification SDS#	JC-011-011
Details of the supplier of the safety	data sheet
Company Name	GATOR CHEMICAL 2202 INDUSTRIAL BLVD SARASOTA, FL, 34234 941-225-7657
Emergency telephone number Emergency Telephone	INFORTRAC 800-535-5053

### 2. HAZARDS IDENTIFICATION

### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

### Label elements

**Emergency Overview** 

## Danger

#### **Hazard statements**

Causes severe skin burns and eye damage Harmful to aquatic life with long lasting effects



Appearance Hazy

Physical state Liquid

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid release to the environment Odor Downy

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### Precautionary Statements - Storage

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

#### Other Information Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Phosphoric Acid	7664-38-2	3-7	*
Fluorosilicic Acid	16961-83-4	1-5	*
2-Propanol	67-63-0	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

First aid measures		
General advice	Immediate medical attention is required.	
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.	

#### Indication of any immediate medical attention and special treatment needed

#### Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

· • • • • • • • • • • • • • • • • • • •	
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

xposure Guidelines	Exposure guidelines no	ted for ingredient(s).	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid 7664-38-2	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 3 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Fluorosilicic Acid 16961-83-4	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> F
2-Propanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard exists.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Take off all contaminated clothing and wash it before reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Hazy
Color	Green
Odor	Downy
Odor threshold	No Information available

### Property

Property_	<u>Values</u>	<b>Remarks</b>	Method
рН	<2		
Specific Gravity	1.06		
Viscosity	No Information available		
Melting point/freezing point	No Information available		
Flash point	Above 200°F		
Boiling point / boiling range	>= 212 ° F (at 760 mm Hg)		
Evaporation rate	No Information available		
Flammability (solid, gas)			
Flammability Limits in Air			
Upper flammability limit:	No Information available		
Lower flammability limit:	No Information available		
Vapor pressure	No Information available		
Vapor density	No Information available		
Water solubility	Complete		
Partition coefficient	No Information available		
Autoignition temperature	No Information available		
Decomposition temperature	No Information available		

### **Other Information**

Density Lbs/Gal	8.84
VOC Content (%)	1.28

### **10. STABILITY AND REACTIVITY**

### **Reactivity**

No data available

### Chemical stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

### **Product Information**

Inhalation	No data available. Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes. Causes severe eye damage.
Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	No data available. Do not taste or swallow. Not an expected route of exposure.

	Oral LD5	j0	Dermal LD50		Inhalation LC50	
Phosphoric Acid 7664-38-2	= 1530 mg/kg	(Rat)	= 2740 mg/kg (Rabbit)		850 mg/m <sup>3</sup> (Rat)1 h	
Fluorosilicic Acid 16961-83-4	= 430 mg/kg	(Rat)	-		= 1.11 mg/L (Rat)1 h	
2-Propanol 67-63-0	= 1870 mg/kg	(Rat)	t) = 4059 mg/kg (Rabbit)		72600 mg/m <sup>3</sup> (Rat)4 h	
nformation on toxicologi	cal effects					
Symptoms	No Informatio	on available.				
Delayed and immediate ef	fects as well as chronic	ceffects from sh	ort and long-term	exposure		
Sensitization	No Informatio	on available.				
Germ cell mutagenicity	No Information	on available.				
Carcinogenicity	The table bel	ow indicates whe	her each agency ha	as listed any ing	redient as a carcinoge	
Chemical Name	ACGIH	IARC			OSHA	
Fluorosilicic Acid 16961-83-4	-	Group 3	Group 3 -		-	
2-Propanol 67-63-0	-	Group 3 -		-	Х	
01 00 0		<b>m</b> 1				
IARC (International Agen		<i>•()</i>				
IARC (International Agen Not classifiable as a huma	n carcinogen		artmont of Labor			
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf			artment of Labor)			
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present	n carcinogen	tion of the US Dep	artment of Labor)			
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity	n carcinogen iety and Health Administra	<i>tion of the US Dep</i>	artment of Labor)			
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure	n carcinogen <b>Sety and Health Administra</b> No Informatio No Informatio	<i>tion of the US Dep</i> on available. on available.	artment of Labor)			
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure	n carcinogen Sety and Health Administra No Informatio No Informatio No Informatio	<i>tion of the US Depa</i> on available. on available. on available.	,	ause erosion of	the teeth followed by j	
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure	n carcinogen Sety and Health Administra No Informatio No Informatio e No Informatio Chronic expo	tion of the US Department on available. on available. on available. osure to corrosive	fumes/gases may c		the teeth followed by jacks of pneumonia are	
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure	n carcinogen <b>Sety and Health Administra</b> No Informatio No Informatio No Informatio Chronic expo necrosis. Br	tion of the US Depa on available. on available. on available. osure to corrosive ronchial irritation v	fumes/gases may c vith chronic cough a	ind frequent atta		
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure	n carcinogen <b>Sety and Health Administra</b> No Information No Information No Information Chronic expon necrosis. Bronic common. G	tion of the US Depa on available. on available. on available. osure to corrosive ronchial irritation v	fumes/gases may c vith chronic cough a turbances may also	ind frequent atta	acks of pneumonia are	
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure	n carcinogen <b>Sety and Health Administra</b> No Informatic No Informatic Chronic expo necrosis. Br common. G Possible risk	tion of the US Department on available. on available. on available. osure to corrosive ronchial irritation v astrointestinal dis	fumes/gases may c vith chronic cough a turbances may also ects.	ind frequent atta	acks of pneumonia are	
IARC (International Agen Not classifiable as a huma OSHA (Occupational Saf X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	n carcinogen <b>Sety and Health Administra</b> No Informatic No Informatic Chronic expo necrosis. Br common. G Possible risk	tion of the US Department on available. on available. on available. osure to corrosive ronchial irritation v astrointestinal dis of irreversible effe iratory system, Sk	fumes/gases may c vith chronic cough a turbances may also ects.	ind frequent atta	acks of pneumonia	

```
Unknown Acute Toxicity
```

0% of the mixture consists of ingredient(s) of unknown toxicity

### **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

### 5.76% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Phosphoric Acid	-	3 - 3.5: 96 h Gambusia affinis mg/L	4.6: 12 h Daphnia magna mg/L EC50
7664-38-2		LC50	
Fluorosilicic Acid	-	65: 96 h Poecilia reticulata mg/L	-
16961-83-4		LC50 static 28.7: 96 h Pimephales	
		promelas mg/L LC50 static	
2-Propanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 flow-through 11130: 96 h	EC50
	Desmodesmus subspicatus mg/L	Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus µg/L LC50	

### Persistence and degradability

No Information available.

### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
2-Propanol	0.05
67-63-0	

Other adverse effects

No Information available

### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status		
Phosphoric Acid	Corrosive		
7664-38-2			
Fluorosilicic Acid	Toxic		
16961-83-4	Corrosive		
2-Propanol	Toxic		
67-63-0	Ignitable		

### 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

IMGD

UN/ID No.: UN3264 Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S (Phosphoric Acid) Hazard Class: 8 Packing Group: III UN/ID No.: UN3264 Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S (Phosphoric Acid) Hazard Class: 8 Packing Group: III

### **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL

Complies Complies

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-Propanol - 67-63-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric Acid 7664-38-2	5000 lb	-	-	Х

### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

### US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid 7664-38-2	Х	Х	Х
Fluorosilicic Acid 16961-83-4	Х	Х	Х
2-Propanol 67-63-0	Х	Х	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health hazards	3	Flammability	0	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards	3	Flammability	0	Physical hazards 0	Personal protection X
Issue Date Revision Date Revision Note		Jun-2019 Feb-202	-			
No Information available Disclaimer						
The information provide	ed in this Safetv I	Data Sh	eet is correct to	b the b	est of our knowledge, infor	mation and belief at the

and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet